

JUST PROJECTORS

Suite 4, Ferndale Court, West End Road
Mortimer, Berkshire, RG7 3SY

Tel: 0118 907 0703

Web: www.projectors.co.uk

Large enterprises, small businesses, mobile professionals, educational institutions and of course home users have different demands and expectations from their projectors. Each has its own priorities that range from compact precision and lightweight portability to versatile connectivity and high-definition performance.

Acer's family of projectors were designed from the ground up with the latest lens technology for ultra-high brightness, enhanced colour performance and high contrast ratios in any environment while retaining the advanced, user-friendly and dependable technology the Acer name is renowned around the world.

The Acer projector family includes the Acer Professional Series, Acer Travel Series, Acer Value Series and the Acer Home Series, each designed to deliver the very best combination of technology, value and versatility for an excellent viewing experience.

Technical Specifications

	Acer X1160	Acer X1260	Acer P1165	Acer P1165E	Acer P1265	Acer PH730
PROJECTION SYSTEM	DLP®	DLP®	DLP®	DLP®	DLP®	DLP®
COLORBOOST	Yes	Yes	Yes	Yes	Yes	N/A
RESOLUTION	Native SVGA (800 x 600) Maximum SXGA (1,280 x 1,024), WXGA+ (1,440 x 900)	Native XGA (1,024 x 768) Maximum SXGA+ (1,400 x 1,050), WXGA+ (1,440 x 900)	Native SVGA (800 x 600) Maximum SXGA (1,280 x 1,024), WXGA+ (1,440 x 900)	Native SVGA (800 x 600) Maximum SXGA (1,280 x 1,024), WXGA+ (1,440 x 900)	Native XGA (1,024 x 768) Maximum SXGA+ (1,400 x 1,050), WXGA+ (1,440 x 900)	Native WXGA (1,280 x 768) Support 720p (1,280 x 720), Maximum UXGA (1,600 x 1,200)
ASPECT RATIO	4:3 (Native), 16:9	4:3 (Native), 16:9	4:3 (Native), 16:9	4:3 (Native), 16:9	4:3 (Native), 16:9	16:9 (Native), 4:3
CONTRAST RATIO	2000:1	2000:1	2000:1	2100:1	2000:1	2500:1
DISPLAYABLE COLORS	16.7 Million Colors	16.7 Million Colors	16.7 Million Colors	16.7 Million Colors	16.7 Million Colors	16.7 Million Colors
BRIGHTNESS	2,000 ANSI Lumens	2,000 ANSI Lumens	2,400 ANSI Lumens (Standard), 1,920 ANSI Lumens (ECO)	2,400 ANSI Lumens (Standard), 1,920 ANSI Lumens (ECO)	2,400 ANSI Lumens (Standard), 1,920 ANSI Lumens (ECO)	1,200 ANSI Lumens (Standard), 960 ANSI Lumens (ECO)
PROJECTION SCREEN SIZE (DIAGONAL)	25" (64cm) - 300" (762cm)	23" (58cm) - 300" (762cm)	23" (58cm) - 300" (762cm)	23" (58cm) - 300" (762cm)	23" (58cm) - 300" (762cm)	29.2" (0.74m) - 300" (7.62m)
PROJECTION DISTANCE	3.3' (1.0m) - 39.0' (11.9m)	3.3' (1.0m) - 39.0' (11.9m)	3.3' (1.0m) - 39.0' (11.9m)	3.3' (1.0m) - 39.4' (12.0m)	3.3' (1.0m) - 39.0' (11.9m)	3.94' (1.2m) - 34.07' (10.38m)
LAMP TYPE	160 W user replaceable P-VIP lamp	160 W user replaceable P-VIP lamp	180 W user replaceable P-VIP lamp	180 W user replaceable P-VIP lamp	180 W user replaceable P-VIP lamp	230 W User replaceable P-VIP lamp
LAMP LIFE	4,000 Hours	4,000 Hours	3,000 Hours (Standard), 4,000 Hours (ECO)	3,000 Hours (Standard), 4,000 Hours (ECO)	3,000 Hours (Standard), 4,000 Hours (ECO)	2,000 Hours (Standard), 4,000 Hours (ECO)
KEYSTONE CORRECTION	+/-40 Degrees (Vertical)	+/-40 Degrees (Vertical)	+/-40 Degrees (Vertical)	+/-40 Degrees (Vertical)	+/-40 Degrees (Vertical)	+/-16 Degrees (Vertical & Horizontal)
AUDIO	N/A	One Internal Speaker with 2 watts Output	One Internal Speaker with 2 watts Output	One Internal Speaker with 2 watts Output	One Internal Speaker with 2 watts Output	2 Internal Speakers each with 3 watts Output
WEIGHT	5 lbs (2.3Kg)	5 lbs (2.3Kg)	6.6 lbs (3.0Kg)	6.2 lbs (2.8Kg)	6.6 lbs (3.0Kg)	7.6 lbs (3.5Kg)
DIMENSIONS	267 x 187 x 80 mm (10.5" x 7.4" x 3.1")	267 x 187 x 80 mm (10.5" x 7.4" x 3.1")	299 x 229 x 93 mm (11.8" x 9.0" x 3.7")	300 x 228 x 100 mm (11.8" x 9.0" x 3.9")	299 x 229 x 93 mm (11.8" x 9.0" x 3.7")	350 x 282 x 119 mm (13.9" x 11.1" x 4.68")
WIRELESS	N/A	N/A	N/A	N/A	N/A	N/A
NOISE LEVEL	33 dBA	33 dBA	28 dBA (Standard mode), 24 dBA (ECO mode)	29 dBA (Standard mode), 26 dBA (ECO mode)	28 dBA (Standard mode), 24 dBA (ECO mode)	28 dBA (Standard mode), 26 dBA (ECO mode)
INPUT INTERFACE	Analog RGB/Component Video (D-sub) x 1 Composite Video (RCA) x 1 S-Video (Mini DIN) x 1	Analog RGB/Component Video (D-sub) x 1 Composite Video (RCA) x 1 S-Video (Mini DIN) x 1 PC Audio (Stereo mini jack) x 1	Analog RGB/Component Video (D-sub) x 1 Composite Video (RCA) x 1 S-Video (Mini DIN) x 1 DVI (HDCP) x 1 PC Audio (Stereo mini jack) x 1	Analog RGB/Component Video (D-sub) x 1 Composite Video (RCA) x 1 S-Video (Mini DIN) x 1 DVI (HDCP) x 1 PC Audio (Stereo mini jack) x 1	Analog RGB/Component Video (D-sub) x 1 Composite Video (RCA) x 1 S-Video (Mini DIN) x 1 DVI (HDCP) x 1 PC Audio (Stereo mini jack) x 1	Analog RGB/Component Video (D-sub) x 1 Composite Video (RCA) x 1 S-Video (Mini DIN) x 1 DVI (HDCP) x 1 HDMI (HDCP) x 1 3 RCA (YPbPr/YCbCr) Component x 1 PC Audio (Stereo mini jack) x 1
OUTPUT INTERFACE	-	Analog RGB (D-sub) x 1	Analog RGB (D-sub) x 1	Analog RGB (D-sub) x 1	Analog RGB (D-sub) x 1	Analog RGB (D-sub) x 1
CONTROL INTERFACE	USB (Type B) x 1	USB (Type B) x 1 RS232 (Mini DIN) x 1	USB (Type B) x 1 RS232 (Mini DIN) x 1	USB (Type B) x 1 RS232 (Mini DIN) x 1	USB (Type B) x 1 RS232 (Mini DIN) x 1	USB (Type B) x 1 RS232 (Mini DIN) x 1
NETWORK INTERFACE	-	-	-	-	-	-
STANDARD ACCESSORIES	- AC power cord - VGA cable - Composite video cable - Remote control - Battery for remote control - Lens cap - User's guide (CD-ROM) - Quick start guide - Security card	- AC power cord - VGA cable - Composite video cable - Remote control - Battery for remote control - Lens cap - User's guide (CD-ROM) - Quick start guide - Security card	- AC power cord - VGA cable - Composite video cable - Remote control - Battery x 2 for remote control - Carrying case - User's guide (CD-ROM) - Quick start guide - Security card	- AC power cord - VGA cable - Composite video cable - Remote control - Battery x 2 for remote control - Carrying case - User's guide (CD-ROM) - Quick start guide - Security card	- AC power cord - VGA cable - Composite video cable - Remote control - Battery x 2 for remote control - Carrying case - User's guide (CD-ROM) - Quick start guide - Security card	- AC Power Cord - VGA Cable (15pin D-Sub) - Composite Video Cable (RCA) - S-Video Cable - Component Cable (3 RCA) - USB Cable - Audio Cable (Mini to Mini Phone Jack) - Remote Control with Mouse & PgUp/PgDn function - Batteries x 2 for Remote Controller - User's Guide (CD-ROM) - Quick Start Card - Carrying Case - Detachable cable holder



acer.co.uk
Acer UK Ltd
Tel: +44-0208 283 3000
Fax: +44-0208 283 3001
Sales enquiries: 0870 853 1005

acercomputer.fi
Acer Computer Finland Oy
Tel: +358-9-225 2690
Fax: +358-9-225 26916

acer.cz
Acer Czech Republic s.r.o.
Tel: +420 244 112 555
Fax: +420 244 112 599

acer.dk
Acer Denmark A/S
Tel: +45 39 16 88 00
Fax: +45 39 16 88 01

acer.no
Acer Computer Norway AS
Tel: +47-66-761 070
Fax: +47-66-901 031

acer-ee.com
acer.bg
acer.com/ve
acer.com/hr
acer.com/si
acer.com/sa
acer.lv
acer.ro
Acer Eastern Europe
Tel: +49-4102-488 0
Fax: +49-4102-488 270

acer.pl
Acer Polska
Tel: +48-22-471-06-00
Fax: +48-22-471-07-00

acer.hu
Acer Magyarorszag
Fax: +36-1-33-6-3309

acer.ru
Acer CIS Inc
Tel: +7 495 980 54 44
Fax: +7 495 980 54 43

acer.ae
Acer Computer (M.E.) Ltd.
Tel: +97-14-8813111
Fax: +97-14-8812200

acer.co.za
Acer Africa
Tel: +27 11 233-6100
Fax: +27 11 233-6200
Call Centre: 0861 653 653

acercomputer.se
Acer Sweden AB
Tel: +46 (0)8 505 573 50

In a continuing effort to improve the quality of our products, information in this brochure is subject to change without notice. Images appearing are only representations of some of the configurations available for this model. Availability may vary depending on region. Acer disclaims any liability for errors and omissions in product descriptions. Copyright 2007 Acer. All rights reserved. Acer and the Acer logo are registered trademarks of Acer Incorporated. Other trademarks, registered trademarks and/or service marks, indicated or otherwise, are the properties of their respective owners. The DLP logo and DLP medalion are trademarks of Texas Instruments.

circle-line.eu

The Acer Projector consumer



acer

Acer **X1160 - X1260** Projectors

The Acer X1160 and X1260 projectors were designed to make entertainment simple for all the family. Equipped with a brand new 6 Colour-wheel design and Acer ColorBoost colour enhancement technology, these stylish DLP® projectors deliver vivid, life-like images and an entirely new level of colour performance.



HD
ready



Acer ColorBoost technology provides optimized colour performance tailored for life-like pastel images – the most commonly used in all applications and images – and delivering a more enjoyable viewing experience.



Acer **P1165 - P1265** Projectors

With high native SVGA and XGA resolutions, 2400 ANSI Lumen, a 6-segment colour wheel and both digital and analogue connectivity options, the Acer P1165 and P1265 Projectors are ideal for classroom environments where cost-efficient reliability, smoother and crisper images, picture-perfect precision and flexible connectivity are essential.

Acer **PH730** Projector

The Acer PH730 was designed to bring high-definition home entertainment to life. Featuring a 7-segment colour wheel, BrilliantColor™ technology and a native resolution of 1280 x 768 and HDMI input, this projector delivers fast-paced sports, cinema or even home movies with precise smoothness, enhanced colour, and super-fine detail.

empowering technology



acer