



PROJECTOR

**X2000L-4K**

JUST PROJECTORS


## Key Features

- True 4K HDR immersive visual experience
- 0.22 ultra short throw ratio capable of 100" screen from 23cm away
- 2nd generation Laser Phosphor technology with 20,000 hours lifespan
- Theatre-level audio by Harman Kardon with Dolby/DTS support
- Smart connectivity via Wi-Fi and Bluetooth



## Product Description

The X2000L-4K is ViewSonic's first ultra short throw smart laser projector. Combining true 4K UHD resolution, HDR/HLG support, 100% Rec.709 cinematic colours, and custom-built Harman Kardon speakers with Dolby/DTS soundtrack support, the X2000L-4K delivers an audiovisual feast right out of the box. Capable of projecting a 100" image from just 23.4cm away, the 0.22 ultra short throw ratio offers an immersive experience along with 4-corner and warping adjustment capabilities to turn virtually any surface into a cinema, live concert, or a wonderland beyond your imagination. Built with 2nd generation laser phosphor technology, the X2000L-4K is geared for instant entertainment and ready to accompany you for 20,000 hours of quality visuals. Smart capabilities such as built-in Wi-Fi for wireless content sharing from your mobile devices and Bluetooth for flexible audio options make content streaming easier than it has ever been before.



- |                          |                           |
|--------------------------|---------------------------|
| 1. IR                    | 8. HDMI 2.0/HDCP 2.2      |
| 2. Lens                  | 9. HDMI 2.0/HDCP 2.2(ARC) |
| 3. Eye Protection Sensor | 10. Audio Out             |
| 4. Power Button          | 11. AV In                 |
| 5. Adjustment Foot       | 12. LAN                   |
| 6. USB Reader            |                           |
| 7. AC In                 |                           |

---

**Visit Us** ■ [www.viewsonic.com](http://www.viewsonic.com)

## SPECIFICATION

Native Resolution:	3840x2160
Brightness:	2000 (ANSI Lumens)
Contrast Ratio:	3000000:1
Display Color:	1.07 Billion Colors
Light Source Type:	Laser Phosphor system
Light Source Life (hours) with Normal Mode:	20000
Lamp Watt:	Nichia 74W x1
Lens:	F=3.2, f=2.335mm
Projection Offset:	140%+/-5%
Throw Ratio:	0.22
Optical Zoom:	Fixed
Image Size:	65"-150"
Throw Distance:	0.082m-0.520m (100"@0.234m)
Audible Noise (Normal):	32dB
Audible Noise (Eco):	30dB
Local Storage:	Total 32GB (26GB available storage)
Input Lag:	40ms
Resolution Support:	VGA(640 x 480) to 4K(3840 x 2160)
HDTV Compatibility:	480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160p
Horizontal Frequency:	15K-135KHz
Vertical Scan Rate:	23-120Hz
<b>INPUT</b>	
AV in (3.5mm):	1
HDMI:	2 (HDMI 2.0, HDCP 1.4/2.2)
Audio-in (Bluetooth):	1 (BT4.2)
USB Type A:	2 (USB2.0 Reader x2)
RJ45 Input (Internet):	1
Wifi Input:	1 (5Gn)
<b>OUTPUT</b>	
Audio-out (3.5mm):	1
Audio-out (Bluetooth):	1 (BT4.2)
Audio-out (HDMI ARC):	1 (Share with HDMI Input)
Speaker:	25W Cube x2 (10W tweeter + 15W woofer) x2
USB Type A (Power):	2 (USB2.0 - 5V/1.5A x2, share with USB A Input)
<b>CONTROL</b>	
USB Type A (Services):	1 (share with USB A Input)

## OTHERS

Power Supply Voltage:	100-240V+/- 10%, 50/60Hz (AC in)
Power Consumption:	Normal: 250W Standby: <0.5W
Operating Temperature:	0~40°C
Carton:	Brown
Net Weight:	6.80kg
Gross Weight:	9.90kg
Dimensions (WxDxH) with Adjustment Foot:	451x332x100mm
Packing Dimensions:	577x488x187mm
OSD Language:	English, French, Spanish, Thai, Korean, German, Italian, Russian, Swedish, Dutch, Polish, Czech, T-Chinese, S-Chinese, Japanese, Turkish, Portuguese, Finnish, Indonesian, India, Arabic, Vietnamese, Greek, Hungarian Total 24 languages
User Guide Language:	English, S-Chinese, T-Chinese, Indonesian, Finnish, French, German, Italian, Japanese, Korean, Polish, Portuguese, Russian, Spanish, Swedish, Turkish, Arabic, Czech, Thai, Vietnamese, total 20 languages

## STANDARD ACCESSORY

Power Cord:	1
Remote Control:	1 (w/ backlit)
QSG:	Yes
Warranty Card:	Yes (CN Only)

## OPTIONAL ACCESSORY

Wall/Ceiling Mount:	PJ-WMK-304 PJ-WMK-007
---------------------	--------------------------