



Key Features

- 3rd generation LED technology with a 30,000-hour lifespan
- 3,100 LED Lumens for bright and clear images in any environment
- Cinema SuperColor+™ Technology with 125% Rec.709 wide colour gamut
- 0.69-0.83 short throw ratio with auto V & H/V keystone for easy setup
- Custom-built speakers by Harman Kardon



Product **Description**

The X2 is ViewSonic's first lamp-free high brightness short throw smart projector for home. Powered by 3rd generation LED technology and 3,100 LED Lumens of brightness, the X2 replaces frequent lamp replacement and toxic mercury with immediate and immersive big-screen entertainment through instant on/off capability, cinematic colours covering 125% Rec.709, and an impressive lifespan of 30,000 hours. And with a 0.69-0.83 short throw ratio, you can go big even in small spaces with a 100" display from only 1.53m away. Dual speakers customised by Harman Kardon deliver powerful, room-filling sound for movie nights or music streamed directly from your smartphone, with the option to connect Bluetooth headphones for personal entertainment. Embedded Wi-Fi connectivity enables screen mirroring directly from smart devices to the big screen, making content streaming easier than ever. And with 1.2x optical zoom, H&V keystone, and 4-corner adjustment capabilities, setting up this 1080p projector is a breeze, even with limited space.



- 1. Zoom/Focus Ring
- 2. Sliding Door
- 3. LED Indicator
- 4. Keypad
- 5. Front IR
- 6. Speakers
- 7 Audio Out

- 8. Audio In
- 9. RS-232
- 10. USB-A (service)
- 11. HDMI 2.0 / HDCP2.2 x 2
- 12. USB-C (5V/1A)
- 13. USB A Reader (5V/1A)
- 14 Rear IR

Visit Us • www.viewsonic.com

SPECIFICATION

SPECIFICATION	
Native Resolution:	1920x1080
DMD Type:	DC3
Brightness:	3100 (LED Lumens)
Contrast Ratio:	3000000:1
Display Colour:	1.07 Billion Colours
Light Source Type:	LED
Light Source Life (hours) with Normal Mode:	30000
Lamp Watt:	RGBG LED
Lens:	F=2.6-2.78, f=10.2- 11.22mm
Projection Offset:	105%+/-5%
Throw Ratio:	0.69-0.83
Optical Zoom:	1.2X
Digital Zoom:	0.8x-2.0x
Image Size:	60"-120"(TBD)
Throw Distance:	0.92m- 2.2m(100"@1.53m)
Keystone:	H:+/-40° , V:+/-40°
Audible Noise (Normal):	31dB (TBD)
Audible Noise (Eco):	27dB (TBD)
Local Storage:	Total 16GB (TBD)
Input Lag:	8.3ms
Resolution Support:	VGA(640 x 480) to 4K(3840 x 2160)
HDTV Compatibility:	480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160p
Horizontal Frequency:	15K-135KHz
Vertical Scan Rate:	23-120Hz
HDMI:	2 (HDMI 2.0, HDCP 1.4/2.2)
USB Type C:	1 (5V/1A)
Audio-in (3.5mm):	1
Audio-in (Bluetooth):	1 (BT4.2)
USB Type A:	1(USB2.0 Reader x1)
Wifi Input:	1 (5Gn)
OUTPUT	
Audio-out (3.5mm):	1
Audio-out (Bluetooth):	1 (BT4.2)
Speaker:	6W Cube x2(Full range x2)
USB Type A (Power):	1(USB2.0 - 5V/1A x1, share with USB A Input)
CONTROL	
RS232 (DB 9-pin male):	1

OTHERS

OTHERS	
Power Supply Voltage:	100-240V+/- 10%, 50/60Hz(AC in)
Operating Temperature:	0~40°C
Carton:	Colour
Net Weight:	3.6kg
Gross Weight:	5.5kg
Dimensions (WxDxH) with Adjustment Foot:	355x251x121mm
Packing Dimensions:	490x376x313mm
OSD Language:	English, French, Spanish, Thai, Korean, German, Italian, Russian, Swedish, Dutch, Polish, Czech, T-Chinese, S-Chinese, Japanese, Turkish, Portuguese, Finnish, Indonesian, India, Arabic, Vietnamese, Greek, Hungarian Total 24 languages
User Guide Language:	English, S-Chinese, T-Chinese, Indonesian, Finish, French, German, Italian, Japanese, Korean, Polish, Portuguese, Russian, Spanish, Swedish, Turkish, Arabic, Czech, Thai, Vietnamese, total 20 languages
STANDARD ACCESSORY	
Power Cord:	1
USB-C Cable:	1 (1m)
Remote Control:	1(w/ backlit)
QSG:	Yes
OPTIONAL ACCESSORY	
Wall/Ceiling Mount:	PJ-WMK-007

USB Type A (Services): 1